

Phospho-Tyr317 EphrinB Antibody

Affinity purified rabbit polyclonal antibody Catalog # AN1086

Specification

Phospho-Tyr317 EphrinB Antibody - Product Information

Application Primary Accession Reactivity Predicted

Host Clonality Calculated MW WB <u>P28693</u> Rat Bovine, Chicken, Human, Mouse, Xenopus, Zebrafish Rabbit polyclonal 46 KDa

Phospho-Tyr317 EphrinB Antibody - Additional Information

Gene ID	396513
Gene Name	EPHB2
Other Names	
Ephrin type-B receptor 2, EPH-like kinase 5, E	K5, cEK5, EPHB2, CEK5

Target/Specificity

Synthetic phospho-peptide corresponding to amino acid residues surrounding Tyr317 conjugated to KLH.

Dilution WB~~ 1:1000

Format

Prepared from rabbit serum by affinity purification via sequential chromatography on phosphoand dephosphopeptide affinity columns.

Antibody Specificity

Specific for the ~46k EphrinB protein phosphorylated at Tyr317. Theimmunolabeling of the EphrinB band is blocked by treatment with λ -phosphatase.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Phospho-Tyr317 EphrinB Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Shipping Blue Ice




Phospho-Tyr317 EphrinB Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Phospho-Tyr317 EphrinB Antibody - Images



Western blot of rat testes lysate showing specific immunolabeling of the ~46k EphrinB phosphorylated at Tyr317 (Control). The phosphospecificity of this labeling is shown in the second lane (lambda-phosphatase: λ -Ptase). The blot is identical to the control except that it was incubated in λ -Ptase (1200 units for 30 min) before being exposed to the Anti-Tyr317 EphrinB. The immunolabeling of the EphrinB is completely eliminated by treatment with λ -Ptase.

Phospho-Tyr317 EphrinB Antibody - Background

EphrinB proteins are thought to play key roles in cellular functions as diverse as neuronal migration and blood vessel development (Flanagan and Vanderhaeghen, 1998; Dufour et al., 2003; Oike et al., 2002). EphrinB molecules expressed at the membrane surface bind to the EphB family receptors on target cells during cell-to cell contact. This interaction leads to cell signaling in the target cell but also generates a reverse signal in the cell expressing EphrinB on its surface. This reverse signaling event is thought to be critical for vessel maturation and neuronal development. Importantly, tyrosine phosphorylation of EphrinB is thought to be a critical component of this reverse signaling event (Palmer et al., 2002). Recent work suggests that phosphorylation of a specific EphrinB residue (Tyr298) plays a key role in EphrinB signaling (Kalo, et al., 2001).

Phospho-Tyr317 EphrinB Antibody - References

Bong, Y.S., Park, Y.H., Lee, H.S., Mood, K., Ishimura, A. and Daar, I.O. Tyr-298 in ephrinB1 is critical for an

interaction with the Grb4 adaptor protein, Biochem. J. 377:499-507 (2004).

Dufour, A., Seibt, J., Passante, L., Depaepe, V., Ciossek, T., Frisen, J., Kullander, K., Flanagan, J.G., Polleux, F. and

Vanderhaeghen, P. Area specificity and topography of thalamocortical projections are controlled by



ephrin/Eph genes, Neuron 39:453-465 (2003). Flanagan, J.G. and Vanderhaeghen, P. The ephrins and Eph receptors in neural development, Annu. Rev. Neurosci. 21:309-345 (1998). Oike, Y., Ito, Y., Hamada, K., Zhang, X.Q., Miyata, K., Arai, F., Inada, T., Araki, K., Nakagata, N., Takeya, M., Kisanuki, Y.Y., Yanagisawa, M., Gale, N.W. and Suda, T, Regulation of vasculogenesis and angiogenesis by EphB/ephrin-B2 signaling between endothelial cells and surrounding mesenchymal cells, Blood 100:1326-1333 (2002). Palmer, A., Zimmer, M., Erdmann, K.S., Eulenburg, V., Porthin, A., Heumann, R., Deutsch, U. and Klein, R Ephrin B phosphorylation and reverse signaling: regulation by Src kinases and PTP-BL Phosphatase, Mol Cell 9:725-737 (2002). Weirong Xing, Jonghyun Kim, Jon Wergedal, Shin-Tai Chen, and Subburaman Mohan (2010) Ephrin **B1** Regulates Bone Marrow Stromal Cell Differentiation and Bone Formation by Influencing TAZ Transactivation via Complex Formation with NHERF1. Mol. Cell. Biol., 30: 711 - 721.