

## ADAMTS10 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP10102a

## **Specification**

## ADAMTS10 Antibody (N-term) - Product Information

**Application** WB,E **Primary Accession** O9H324 NP 112219.2 Other Accession Human, Mouse Reactivity Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Antigen Region 210-240

### ADAMTS10 Antibody (N-term) - Additional Information

### **Gene ID 81794**

## **Other Names**

A disintegrin and metalloproteinase with thrombospondin motifs 10, ADAM-TS 10, ADAM-TS10, ADAMTS-10, 3424-, ADAMTS10

### Target/Specificity

This ADAMTS10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 210-240 amino acids from the N-terminal region of human ADAMTS10.

# Dilution

WB~~1:1000

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

ADAMTS10 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## ADAMTS10 Antibody (N-term) - Protein Information

## Name ADAMTS10

**Function** Metalloprotease that participate in microfibrils assembly. Microfibrils are extracellular matrix components occurring independently or along with elastin in the formation of elastic



tissues.

**Cellular Location**Secreted, extracellular space, extracellular matrix


**Tissue Location**Widely expressed in adult tissues.

## ADAMTS10 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


## ADAMTS10 Antibody (N-term) - Images



ADAMTS10 Antibody (N-term) (Cat. #AP10102a) western blot analysis in mouse cerebellum tissue lysates (35ug/lane). This demonstrates the ADAMTS10 antibody detected the ADAMTS10 protein (arrow).

## ADAMTS10 Antibody (N-term) - Background

This gene belongs to the ADAMTS (a disintegrin and metalloproteinase domain with thrombospondin type-1 motifs) family of zinc-dependent proteases. ADAMTS proteases are complex secreted enzymes containing a prometalloprotease domain of the reprolysin type attached to an ancillary domain with a highly conserved structure that includes at least one thrombospondin type 1 repeat. They have been demonstrated to have important roles in connective tissue organization, coagulation, inflammation, arthritis, angiogenesis and cell migration. The product of this gene plays a major role in growth and in skin, lens, and heart development. It is also a candidate gene for autosomal recessive Weill-Marchesani





syndrome.

# **ADAMTS10 Antibody (N-term) - References**

Morales, J., et al. Am. J. Hum. Genet. 85(5):558-568(2009) Ben Yahia, S., et al. J. Hum. Genet. 54(9):550-553(2009) Kutz, W.E., et al. Hum. Mutat. 29(12):1425-1434(2008) Gudbjartsson, D.F., et al. Nat. Genet. 40(5):609-615(2008) Dagoneau, N., et al. Am. J. Hum. Genet. 75(5):801-806(2004)