10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CHIC2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10473b

Specification

CHIC2 Antibody (C-term) - Product Information

Application	**WB,E**
Primary Accession	Q9UKJ5
Other Accession	Q9D9G3, NP_036242.1
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**19254**
Antigen Region	**138-165**

CHIC2 Antibody (C-term) - Additional Information

Gene ID 26511

Other Names
Cysteine-rich hydrophobic domain-containing protein 2, BrX-like translocated in leukemia, CHIC2, BTL

Target/Specificity
This CHIC2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 138-165 amino acids from the C-terminal region of human CHIC2.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
CHIC2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CHIC2 Antibody (C-term) - Protein Information

Name CHIC2

Synonyms BTL


Cellular Location
Cell membrane. Cytoplasmic vesicle. Note=Also present at a Golgi-like vesicular compartment and at scattered vesicles

CHIC2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CHIC2 Antibody (C-term) - Images



CHIC2 Antibody (C-term) (Cat. #AP10473b) western blot analysis in mouse bladder tissue lysates (35ug/lane).This demonstrates the CHIC2 antibody detected the CHIC2 protein (arrow).

CHIC2 Antibody (C-term) - Background

CHIC2 is a member of the CHIC family of proteins. This protein contains a cysteine-rich hydrophobic (CHIC) motif, and is localized to vesicular structures and the plasma membrane.

CHIC2 Antibody (C-term) - References

Fink, S.R., et al. Leuk. Res. 33(6):843-846(2009)
Venkatesan, K., et al. Nat. Methods 6(1):83-90(2009)
Pardanani, A., et al. Blood 102(9):3093-3096(2003)
Cools, J., et al. FEBS Lett. 492(3):204-209(2001)
Cools, J., et al. FEBS Lett. 492(3):204-209(2001)