

TAS1R3 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16368a**Specification**

TAS1R3 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	Q7RTX0
Other Accession	NP_689414.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	229-258

TAS1R3 Antibody (N-term) - Additional Information**Gene ID** 83756**Other Names**

Taste receptor type 1 member 3, Sweet taste receptor T1R3, TAS1R3, T1R3, TR3

Target/Specificity

This TAS1R3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 229-258 amino acids from the N-terminal region of human TAS1R3.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TAS1R3 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TAS1R3 Antibody (N-term) - Protein Information**Name** TAS1R3**Synonyms** T1R3, TR3

Function Putative taste receptor. TAS1R1/TAS1R3 responds to the umami taste stimulus (the taste of monosodium glutamate). TAS1R2/TAS1R3 recognizes diverse natural and synthetic sweeteners. TAS1R3 is essential for the recognition and response to the disaccharide trehalose (By similarity). Sequence differences within and between species can significantly influence the selectivity and specificity of taste responses.

Cellular Location


Cell membrane; Multi-pass membrane protein.

TAS1R3 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TAS1R3 Antibody (N-term) - Images



TAS1R3 Antibody (N-term) (Cat. #AP16368a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the TAS1R3 antibody detected the TAS1R3 protein (arrow).

TAS1R3 Antibody (N-term) - Background

The TAS1R3 gene encodes the human homolog of mouse Sac, a major determinant of differences between sweet-sensitive and -insensitive mouse strains in their responsiveness to sucrose, saccharine, and other sweeteners (Max et al., 2001 [PubMed 11326277]).

TAS1R3 Antibody (N-term) - References

Assadi-Porter, F.M., et al. J. Mol. Biol. 398(4):584-599(2010)
Assadi-Porter, F.M., et al. Biochim. Biophys. Acta 1798(2):82-86(2010)
Chen, Q.Y., et al. Am. J. Clin. Nutr. 90 (3), 770S-779S (2009) :

Chandrashekar, J., et al. Nature 444(7117):288-294(2006)

Xu, H., et al. Proc. Natl. Acad. Sci. U.S.A. 101(39):14258-14263(2004)

TAS1R3 Antibody (N-term) - Citations

- [TR3 is involved in hypoxia-induced apoptosis resistance in lung cancer cells downstream of HIF-1 \$\alpha\$.](#)