

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody

Goat Polyclonal, Fluorescein (FITC) Catalog # ASR2120

Specification

Physical State

Target Isotype

Host Isotype

Immunogen

Reconstitution Volume

Reconstitution Buffer

Buffer

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Product **Information**

Description Anti-FERRET IgG IgA IgM (H&L) (GOAT)

Antibody Fluorescein Conjugated

Goat Host

Fluorescein (FITC) Conjugate

FP Value 2.8 moles Fluorescein (FITC) per mole of

Ferret

Target Species Clonality **Polyclonal Application** ,3,4,

FLISA 1:10,000-1:50,000;IF Microscopy **Application Note**

1:1,000-1:5,000;FlowCytometry

1:500-1:2,500 Lyophilized

IqG

IgG IgA IgM

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Ferret IgG IgA and IgM whole molecules

1.0 mL

Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Ferret IgG, Ferret IgA and Ferret IgM. This reagent is suitable for the detection of all Ferret isotypes and chain combinations.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Protein Information

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Images
Anti-Ferret IgG IgA IgM (H&L) (Fluorescein Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.