

**Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody  
Rabbit Polyclonal, Peroxidase (Horseradish)  
Catalog # ASR2456****Specification****Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody -  
Product Information**

Description	<b>Anti-GOLDEN SYRIAN HAMSTER IgG F(ab&amp;apos;)2 (RABBIT) Antibody Peroxidase Conjugated</b>
Host	<b>Rabbit</b>
Conjugate	<b>Peroxidase (Horseradish)</b>
Target Species	<b>Golden Syrian Hamster</b>
Clonality	<b>Polyclonal</b>
Application	<b>,1,10,15,</b>
Application Note	<b>ELISA 1:10,000-1:50,000;Western Blot 1:1,000-1:10,000;Immunochemistry 1:500-1:2,500</b>
Physical State	<b>Lyophilized</b>
Host Isotype	<b>IgG</b>
Target Isotype	<b>IgG F(ab')<sub>2</sub></b>
Buffer	<b>0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2</b>
Immunogen	<b>Hamster IgG F(ab&amp;apos;)2 fragment</b>
Reconstitution Volume	<b>1.0 mL</b>
Reconstitution Buffer	<b>Restore with deionized water (or equivalent)</b>
Stabilizer	<b>10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free</b>
Preservative	<b>0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!</b>

**Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody -  
Additional Information****Shipping Condition**

Ambient

**Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Hamster IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Hamster IgG, Hamster IgG F(ab')<sub>2</sub> and Hamster Serum. No reaction was observed against Hamster IgG F(c).

**Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

**Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody - Protein Information****Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-Golden Syrian Hamster IgG F(ab')<sub>2</sub> (Peroxidase Conjugated) Secondary Antibody - Images**