

## **CEBPG Antibody (monoclonal) (M01)**

Mouse monoclonal antibody raised against a full length recombinant CEBPG. Catalog # AT1491a

#### Specification

## **CEBPG Antibody (monoclonal) (M01) - Product Information**

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW WB <u>P53567</u> <u>BC013128</u> Human mouse Monoclonal IgG1 kappa 16408

## CEBPG Antibody (monoclonal) (M01) - Additional Information

Gene ID 1054

Other Names CCAAT/enhancer-binding protein gamma, C/EBP gamma, CEBPG

**Target/Specificity** CEBPG (AAH13128, 1 a.a. ~ 150 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

**Dilution** WB~~1:500~1000

**Format** Clear, colorless solution in phosphate buffered saline, pH 7.2.

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** CEBPG Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

### CEBPG Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry



- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# CEBPG Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (42.24 KDa) .

# CEBPG Antibody (monoclonal) (M01) - Background

The C/EBP family of transcription factors regulates viral and cellular CCAAT/enhancer element-mediated transcription. C/EBP proteins contain the bZIP region, which is characterized by two motifs in the C-terminal half of the protein: a basic region involved in DNA binding and a leucine zipper motif involved in dimerization. The C/EBP family consist of several related proteins, C/EBP alpha, C/EBP beta, C/EBP gamma, and C/EBP delta, that form homodimers and that form heterodimers with each other. CCAAT/enhancer binding protein gamma may cooperate with Fos to bind PRE-I enhancer elements.

# CEBPG Antibody (monoclonal) (M01) - References

1.CEBPG regulates ERCC5/XPG expression in human bronchial epithelial cells and this regulation is modified by E2F1/YY1 interactions.Crawford EL, Blomquist T, Mullins DN, Yoon Y, Hernandez DR, Al-Bagdhadi M, Ruiz J, Hammersley J, Willey JC.Carcinogenesis. 2007 Dec;28(12):2552-9. Epub 2007 Sep 24.