

PHYH Antibody (N-term) Blocking Peptide
Synthetic peptide
Catalog # BP8711a**Specification**

PHYH Antibody (N-term) Blocking Peptide - Product Information

Primary Accession [O14832](#)
Other Accession [O9UJ83](#)

PHYH Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 5264

Other Names

Phytanoyl-CoA dioxygenase, peroxisomal, Phytanic acid oxidase, Phytanoyl-CoA alpha-hydroxylase, PhyH, PHYH, PAHX

Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP8711a](/products/AP8711a) was selected from the N-term region of human PHYH. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

PHYH Antibody (N-term) Blocking Peptide - Protein Information

Name PHYH

Synonyms PAHX

Function

Catalyzes the 2-hydroxylation of not only racemic phytanoyl-CoA and the isomers of 3-methylhexadecanoyl-CoA, but also a variety of other mono-branched 3-methylacyl-CoA esters (with a chain length of at least seven carbon atoms) and straight-chain acyl-CoA esters (with a chain length longer than four carbon atoms) (PubMed: [9326939](http://www.uniprot.org/citations/9326939), PubMed: [10744784](http://www.uniprot.org/citations/10744784), PubMed: [12031666](http://www.uniprot.org/citations/12031666), PubMed: [12923223](http://www.uniprot.org/citations/12923223)). Does not

hydroxylate long and very long straight chain acyl-CoAs or 2- methyl- and 4-methyl-branched acyl-CoAs (PubMed:10744784, PubMed:12923223).

Cellular Location

Peroxisome.

Tissue Location

Expressed in liver, kidney, and T-cells, but not in spleen, brain, heart, lung and skeletal muscle

PHYH Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

PHYH Antibody (N-term) Blocking Peptide - Images**PHYH Antibody (N-term) Blocking Peptide - Background**

PHYH2 catalyzes a carbon-carbon cleavage reaction; cleaves a 2-hydroxy-3-methylacyl-CoA into formyl-CoA and a 2-methyl-branched fatty aldehyde.

PHYH Antibody (N-term) Blocking Peptide - References

Foulon,V., et.al., J. Biol. Chem. 280 (11), 9802-9812 (2005)Kikuchi,M., et.al., J. Biol. Chem. 279 (1), 421-428 (2004)