

# **DUSP27 Antibody (C-term) Blocking Peptide**

Synthetic peptide Catalog # BP8924b

## **Specification**

## **DUSP27 Antibody (C-term) Blocking Peptide - Product Information**

Primary Accession Q5VZP5

# **DUSP27 Antibody (C-term) Blocking Peptide - Additional Information**

**Gene ID 92235** 

#### **Other Names**

Inactive dual specificity phosphatase 27, DUSP27

## Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/products/AP8924b>AP8924b</a> was selected from the C-term region of human DUSP27. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## **DUSP27 Antibody (C-term) Blocking Peptide - Protein Information**

Name STYXL2 (HGNC:25034)

Synonyms DUSP27

### **Function**

May be required for myofiber maturation.

#### **Cellular Location**

Cytoplasm, myofibril, sarcomere {ECO:0000250|UniProtKB:F1QWM2}

## **DUSP27 Antibody (C-term) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.



## • Blocking Peptides

## **DUSP27 Antibody (C-term) Blocking Peptide - Images**

## DUSP27 Antibody (C-term) Blocking Peptide - Background

DUSP27 belongs to the protein-tyrosine phosphatase family, non-receptor class dual specificity subfamily. It contains one tyrosine-protein phosphatase domain. It is found in skeletal muscle, liver and adipose tissue.

# **DUSP27 Antibody (C-term) Blocking Peptide - References**

Ehret, G.B., et.al., Eur. J. Hum. Genet. 17 (12), 1650-1657 (2009)