

Anti-Human Flt3-Ligand Antibody

Catalog # ABG10117

Specification

Anti-Human Flt3-Ligand Antibody - Product Information

Application WB, E
Reactivity Human
Host Rabbit
Clonality Polyclonal

Anti-Human Flt3-Ligand Antibody - Additional Information

Preparation

Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hFlt-3 Ligand. Anti-Human Flt-3 Ligand specific antibody was purified by affinity chromatography employing immobilized hFlt-3 Ligand matrix.

WesternBlot

To detect hFlt-3 Ligand by Western Blot analysis this antibody can be used at a concentration of 0.1- $0.2 \mu g/ml$. Used in conjunction with compatible secondary reagents the detection limit for recombinant hFlt-3 Ligand is 1.5- $3.0 \mu g/lane$, under either reducing or non-reducing conditions.

Sandwich

To detect hFlt-3 Ligand by sandwich ELISA (using 100 μ l/well antibody solution) a concentration of 0.5 - 2.0 μ g/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with BioGems' Biotinylated Anti-Human Flt-3 Ligand (60-147BT) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hFlt-3 Ligand.

Neutralization

To yield one-half maximal inhibition [ND₅₀] of the biological activity of hFlt-3 Ligand (1.0 ng/ml), a concentration of 4.0-6.0 ng/ml of this antibody is required.

Formulation

A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.

Reconstitution

Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 0.1-1.0 mg/ml.


Storage

-20°C

Precautions

Anti-Human Flt3-Ligand Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-Human Flt3-Ligand Antibody - Protocols





Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Human Flt3-Ligand Antibody - Images