

Anti-Islet 1 Picoband Antibody

Catalog # ABO10271

Specification

# Anti-Islet 1 Picoband Antibody - Product Information

ApplicationWB, IHC-PPrimary AccessionP61371HostRabbitReactivityHuman, RatClonalityPolyclonalFormatLyophilizedDescriptionRabbit IgG polyclonal antibody for Insulin gene enhancer protein ISL-1(ISL1) detection. Tested withWB, IHC-P in Human;Rat.

**Reconstitution** Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

# Anti-Islet 1 Picoband Antibody - Additional Information

Gene ID 3670

**Other Names** Insulin gene enhancer protein ISL-1, Islet-1, ISL1

Calculated MW 39036 MW KDa

**Application Details** Immunohistochemistry(Paraffin-embedded Section), 0.5-1 μg/ml, Human, By Heat<br><br>Western blot, 0.1-0.5 μg/ml, Human, Rat<br>

**Subcellular Localization** Nucleus.

**Tissue Specificity** Expressed in subsets of neurons of the adrenal medulla and dorsal root ganglion, inner nuclear and ganglion cell layers in the retina, the pineal and some regions of the brain.

Protein Name Insulin gene enhancer protein ISL-1

Contents Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

Immunogen

A synthetic peptide corresponding to a sequence in the middle region of human lslet 1 (118-161aa DEFALREDGLFCRADHDVVERASLGAGDPLSPLHPARPLQMAAE), identical to the related mouse and rat sequences.



**Purification** Immunogen affinity purified.

**Cross Reactivity** No cross reactivity with other proteins

Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time.Avoid repeated freezing and thawing.

# Anti-Islet 1 Picoband Antibody - Protein Information

Name ISL1

Function

DNA-binding transcriptional activator. Recognizes and binds to the consensus octamer binding site 5'-ATAATTAA-3' in promoter of target genes. Plays a fundamental role in the gene regulatory network essential for retinal ganglion cell (RGC) differentiation. Cooperates with the transcription factor POU4F2 to achieve maximal levels of expression of RGC target genes and RGC fate specification in the developing retina. Involved in the specification of motor neurons in cooperation with LHX3 and LDB1 (By similarity). Binds to insulin gene enhancer sequences (By similarity). Essential for heart development. Marker of one progenitor cell population that give rise to the outflow tract, right ventricle, a subset of left ventricular cells, and a large number of atrial cells as well, its function is required for these progenitors to contribute to the heart. Controls the expression of FGF and BMP growth factors in this cell population and is required for proliferation and survival of cells within pharyngeal foregut endoderm and adjacent splanchnic mesoderm as well as for migration of cardiac progenitors into the heart (By similarity).

**Cellular Location** 

Nucleus {ECO:0000250|UniProtKB:P61372}.

## **Tissue Location**

Expressed in subsets of neurons of the adrenal medulla and dorsal root ganglion, inner nuclear and ganglion cell layers in the retina, the pineal and some regions of the brain

## Anti-Islet 1 Picoband Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

**Anti-Islet 1 Picoband Antibody - Images** 





Western blot analysis of Islet 1 expression in PC12 whole cell lysates (lane 1) and MCF-7 whole cell lysates (lane 2). Islet 1 at 39KD was detected using rabbit anti- Islet 1 Antigen Affinity purified polyclonal antibody (Catalog # ABO10271) at 0.5  $\hat{1}/4$ g/mL. The blot was developed using chemiluminescence (ECL) method .



Islet 1 was detected in paraffin-embedded sections of human mammary cancer tissues using rabbit anti- Islet 1 Antigen Affinity purified polyclonal antibody (Catalog # ABO10271) at 1  $\hat{1}_{4}$ g/mL. The immunohistochemical section was developed using SABC method .

## Anti-Islet 1 Picoband Antibody - Background

Insulin gene enhancer protein ISL-1 is a protein that in humans is encoded by the isl1 gene. This gene encodes a member of the LIM/homeodomain family of transcription factors. The encoded protein binds to the enhancer region of the insulin gene, among others, and may play an important role in regulating insulin gene expression. The encoded protein is central to the development of pancreatic cell lineages and may also be required for motor neuron generation. Mutations in this gene have been associated with maturity-onset diabetes of the young.