

Anti-CCDC6 Picoband Antibody

Catalog # ABO11668

Specification

Anti-CCDC6 Picoband Antibody - Product Information

Application WB
Primary Accession Q16204
Host Rabbit
Reactivity Human, Rat
Clonality Polyclonal
Format Lyophilized

Description

Rabbit IgG polyclonal antibody for Coiled-coil domain-containing protein 6(CCDC6) detection. Tested with WB in Human;Rat.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-CCDC6 Picoband Antibody - Additional Information

Gene ID 8030

Other Names

Coiled-coil domain-containing protein 6, Papillary thyroid carcinoma-encoded protein, Protein H4, CCDC6, D10S170, TST1

Calculated MW 53291 MW KDa

Application Details

Western blot, 0.1-0.5 μg/ml, Human, Rat

Subcellular Localization

Cytoplasm. Cytoplasm, cytoskeleton. May be a cytoskeletal protein.

Tissue Specificity

Ubiquitously expressed.

Protein Name

Coiled-coil domain-containing protein 6

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

Immunogen

A synthetic peptide corresponding to a sequence at the N-terminus of human CCDC6 (156-198aa KAELEQHLEQEGEFQVNKLMKKIKKLENDTISKQLTLEQLRR E), identical to the related mouse sequence.

Purification



Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins.

Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Anti-CCDC6 Picoband Antibody - Protein Information

Name CCDC6

Synonyms D10S170, TST1

Cellular Location

Cytoplasm. Cytoplasm, cytoskeleton. Note=May be a cytoskeletal protein

Tissue LocationUbiquitously expressed.

Anti-CCDC6 Picoband Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-CCDC6 Picoband Antibody - Images





Western blot analysis of CCDC6 expression in rat testis extract (lane 1) and MCF-7 whole cell lysates (lane 2). CCDC6 at 66KD was detected using rabbit anti- CCDC6 Antigen Affinity purified polyclonal antibody (Catalog # ABO11668) at 0.5 ??g/mL. The blot was developed using chemiluminescence (ECL) method .

Anti-CCDC6 Picoband Antibody - Background

Coiled-coil domain-containing protein 6 is a protein that in humans is encoded by the CCDC6 gene. This gene encodes a coiled-coil domain-containing protein. The encoded protein is ubiquitously expressed and may function as a tumor suppressor. A chromosomal rearrangement resulting in the expression of a fusion gene containing a portion of this gene and the intracellular kinase-encoding domain of the ret proto-oncogene is the cause of thyroid papillary carcinoma.