

Anti-IL-6 Antibody

Catalog # ABO11730

Specification

Anti-IL-6 Antibody - Product Information

Application WB
Primary Accession P20607
Host Reactivity Rat
Clonality Polyclonal
Format Lyophilized

Description

Rabbit IgG polyclonal antibody for interleukin 6 (interferon, beta 2)(IL6) detection. Tested with WB in Rat.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-IL-6 Antibody - Additional Information

Gene ID 24498

Other Names

Interleukin-6, IL-6, II6, II-6

Calculated MW 24357 MW KDa

Application Details

Western blot, 0.1-0.5 µg/ml, Rat

Subcellular Localization

Secreted.

Protein Name

Interleukin-6

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.

Immunogen

E.coli-derived rat IL-6 recombinant protein (Position: F25-T211). Rat IL-6 shares 86% amino acid (aa) sequence identity with mouse IL-6.

Purification

Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins



Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Anti-IL-6 Antibody - Protein Information

Name II6 {ECO:0000312|RGD:2901}

Synonyms II-6

Function

Cytokine with a wide variety of biological functions in immunity, tissue regeneration, and metabolism. Binds to IL6R, then the complex associates to the signaling subunit IL6ST/gp130 to trigger the intracellular IL6-signaling pathway. The interaction with the membrane- bound IL6R and IL6ST stimulates 'classic signaling', whereas the binding of IL6 and soluble IL6R to IL6ST stimulates 'trans-signaling'. Alternatively, 'cluster signaling' occurs when membrane-bound IL6:IL6R complexes on transmitter cells activate IL6ST receptors on neighboring receiver cells.


Cellular Location Secreted.

Anti-IL-6 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-IL-6 Antibody - Images



Anti-IL-6 Picoband antibody, ABO11730-1.jpgAll lanes: Anti-IL-6(ABO11730) at 0.5ug/mlWB: Recombinant Rat IL-6 Protein 0.5ngPredicted bind size: 25KDObserved bind size: 25KD

Anti-IL-6 Antibody - Background





Tel: 858.875.1900 Fax: 858.875.1999

Interleukin-6 (IL-6) is a protein that in humans is encoded by the IL6 gene. IL-6 is an interleukin that acts as both a pro-inflammatory and anti-inflammatory cytokine. It is secreted by T cells and macrophages to stimulate immune response to trauma, especially burns or other tissue damage leading to inflammation. IL-6 is one of the most important mediators of fever and of the acute phase response. IL-6 is also essential for hybridoma growth and is found in many supplemental cloning media such as briclone. Bowcock et al. (1988) assigned the IL6 gene to chromosome 7p21. By in situ hybridization and Southern blot analysis of mouse-human hybrid cell lines, Sutherland et al. (1988) mapped the IL-6 gene to chromosome 7p15.