

**Anti-Aquaporin 1 Picoband Antibody**  
**Catalog # ABO12161****Specification**

---

**Anti-Aquaporin 1 Picoband Antibody - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">P29972</a>
Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Format	Lyophilized

**Description**

Rabbit IgG polyclonal antibody for Aquaporin-1(AQP1) detection. Tested with WB, IHC-P in Human;Mouse;Rat.

**Reconstitution**

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

**Anti-Aquaporin 1 Picoband Antibody - Additional Information**

**Gene ID** 358

**Other Names**

Aquaporin-1, AQP-1, Aquaporin-CHIP, Urine water channel, Water channel protein for red blood cells and kidney proximal tubule, AQP1, CHIP28

**Calculated MW**

28526 MW KDa

**Application Details**

Immunohistochemistry(Paraffin-embedded Section), 0.5-1 µg/ml, Human, Mouse, Rat, By Heat<br>Western blot, 0.1-0.5 µg/ml, Mouse, Rat, Human<br>

**Subcellular Localization**

Cell membrane ; Multi-pass membrane protein .

**Tissue Specificity**

Detected in erythrocytes (at protein level). Expressed in a number of tissues including erythrocytes, renal tubules, retinal pigment epithelium, heart, lung, skeletal muscle, kidney and pancreas. Weakly expressed in brain, placenta and liver. .

**Protein Name**

Aquaporin-1

**Contents**

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na<sub>2</sub>HPO<sub>4</sub>, 0.05mg Na<sub>3</sub>.

**Immunogen**

A synthetic peptide corresponding to a sequence at the C-terminus of human Aquaporin 1

(240-269aa DRVKVWTSGQVEEYDL DADDINSRVEMKPK), different from the related mouse and rat sequences by one amino acid.

**Purification**

Immunogen affinity purified.

**Cross Reactivity**

No cross reactivity with other proteins

**Storage**

**At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.**

**Sequence Similarities**

Belongs to the MIP/aquaporin (TC 1.A.8) family.

**Anti-Aquaporin 1 Picoband Antibody - Protein Information**

**Name** AQP1 ([HGNC:633](#))

**Synonyms** CHIP28

**Function**

Forms a water-specific channel that provides the plasma membranes of red cells and kidney proximal tubules with high permeability to water, thereby permitting water to move in the direction of an osmotic gradient (PubMed:[1373524](http://www.uniprot.org/citations/1373524)). Component of the ankyrin-1 complex, a multiprotein complex involved in the stability and shape of the erythrocyte membrane (PubMed:[35835865](http://www.uniprot.org/citations/35835865)).

**Cellular Location**

Cell membrane; Multi-pass membrane protein

**Tissue Location**


Detected in erythrocytes (at protein level). Expressed in a number of tissues including erythrocytes, renal tubules, retinal pigment epithelium, heart, lung, skeletal muscle, kidney and pancreas. Weakly expressed in brain, placenta and liver

**Anti-Aquaporin 1 Picoband Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**Anti-Aquaporin 1 Picoband Antibody - Images**




Anti- Aquaporin 1 Picoband antibody, ABO12161, Western blotting All lanes: Anti Aquaporin 1 (ABO12161) at 0.5ug/ml  
Lane 1: Rat Kidney Tissue Lysate at 50ug  
Lane 2: Rat Lung Tissue Lysate at 50ug  
Lane 3: Rat Cardiac Muscle Tissue Lysate at 50ug  
Lane 4: PC-12 Whole Cell Lysate at 40ug  
Lane 5: HEPA Whole Cell Lysate at 40ug  
Predicted bind size: 29KD  
Observed bind size: 29KD



Anti- Aquaporin 1 Picoband antibody, ABO12161, IHC(P) IHC(P): Mouse Kidney Tissue



Anti- Aquaporin 1 Picoband antibody, ABO12161, IHC(P) IHC(P): Rat Kidney Tissue



Anti- Aquaporin 1 Picoband antibody, ABO12161, IHC(P)IHC(P): Human Intestinal Cancer Tissue

#### **Anti-Aquaporin 1 Picoband Antibody - Background**

Aquaporin 1 is a 28-kD integral protein thought at first to be a breakdown product of the Rh polypeptide but was later shown to be a unique molecule that is abundant in erythrocytes and renal tubules. AQP1 is also expressed by the choroid plexus and various other tissues. It forms a water-specific channel that provides the plasma membranes of red cells and kidney proximal tubules with high permeability to water, thereby permitting water to move in the direction of an osmotic gradient.