

Anti-Keratocan Picoband Antibody
Catalog # ABO12339**Specification**

Anti-Keratocan Picoband Antibody - Product Information

Application	WB
Primary Accession	O60938
Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Format	Lyophilized

Description

Rabbit IgG polyclonal antibody for Keratocan(KERA) detection. Tested with WB in Human;Mouse.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-Keratocan Picoband Antibody - Additional Information

Gene ID 11081

Other Names

Keratocan, KTN, Keratan sulfate proteoglycan keratocan, KERA, SLRR2B

Calculated MW

40509 MW KDa

Application Details

Western blot, 0.1-0.5 µg/ml, Human, Mouse

Subcellular Localization

Secreted, extracellular space, extracellular matrix .

Tissue Specificity

Cornea. Increased expression in the stroma of keratoconus corneas. Also detected in trachea, and in low levels, in intestine, skeletal muscle, ovary, lung and putamen. .

Protein Name

Keratocan

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na₂HPO₄, 0.05mg Na₃.

Immunogen

A synthetic peptide corresponding to a sequence at the C-terminus of human Keratocan (77-109aa YLQNNLIETIPEKPFENATQLRWINLNKNKITN), different from the related mouse sequence by two amino acids.

Purification

Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins

Storage

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Anti-Keratocan Picoband Antibody - Protein Information

Name KERA

Synonyms SLRR2B

Function

May be important in developing and maintaining corneal transparency and for the structure of the stromal matrix.

Cellular Location

Secreted, extracellular space, extracellular matrix


Tissue Location


Cornea (at protein level) (PubMed:10802664, PubMed:11683372). Increased expression in the stroma of keratoconus corneas (PubMed:11683372). Also detected in trachea, and in low levels, in intestine, skeletal muscle, ovary, lung and putamen (PubMed:10802664).

Anti-Keratocan Picoband Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Keratocan Picoband Antibody - Images



Anti- Keratocan Picoband antibody, ABO12339, Western blottingAll lanes: Anti Keratocan (ABO12339) at 0.5ug/mlLane 1: Mouse Testis Whole Cell Lysate at 40ugLane 2: Mouse Skeletal Muscle Whole Cell Lysate at 40ugLane 3: MCF-7 Whole Cell Lysate at 40ug Lane 4: A549 Whole Cell Lysate at 40ugPredicted bind size: 40KDObserved bind size: 50KD

Anti-Keratocan Picoband Antibody - Background

Keratocan (KTN), also known as keratan sulfate proteoglycan keratocan, is a protein that in humans is encoded by the KERA gene. It is mapped to 12q22. The protein encoded by this gene is a keratan sulfate proteoglycan that is involved in corneal transparency. Defects in this gene are a cause of autosomal recessive cornea plana 2 (CNA2). Keratan sulfate proteoglycans (KSPGs) are members of the small leucine-rich proteoglycan (SLRP) family. KSPGs, particularly keratocan, lumican and mimecan, are important to the transparency of the cornea.