

Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody

Catalog # ABO13178

Specification

Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody - Product Information

Application WB, IP
Primary Accession P08670
Host Rabbit Isotype Rabbit IgG

Reactivity Rat, Human, Mouse

Clonality Monoclonal Format Liquid

Description

Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody . Tested in WB, IP applications. This antibody reacts with Human, Mouse, Rat.

Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody - Additional Information

Gene ID 7431

Other Names Vimentin, VIM

Calculated MW 53652 MW KDa

Application Details

WB 1:500-1:2000
IP 1:50

Subcellular Localization

Cytoplasm.

Tissue Specificity

Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone- independent mammary carcinoma cell lines..

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human Phospho-Vimentin (S72)

Purification

Affinity-chromatography

Storage

Store at -20°C for one year. For short term storage and frequent use, store at 4°C for



up to one month. Avoid repeated freeze-thaw cycles.

Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody - Protein Information

Name VIM (HGNC:12692)

Function

Vimentins are class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells. Vimentin is attached to the nucleus, endoplasmic reticulum, and mitochondria, either laterally or terminally. Plays a role in cell directional movement, orientation, cell sheet organization and Golgi complex polarization at the cell migration front (By similarity). Protects SCRIB from proteasomal degradation and facilitates its localization to intermediate filaments in a cell contact-mediated manner (By similarity).

Cellular Location

Cytoplasm. Cytoplasm, cytoskeleton. Nucleus matrix {ECO:0000250|UniProtKB:P31000}. Cell membrane {ECO:0000250|UniProtKB:P20152}

Tissue Location

Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.


Anti-Phospho-Vimentin (S72) Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Phospho-Vimentin	(\$72) Pabbit	Manaclanal A	ntibody - Ima	200
Anti-Phospho-Vimentin	(5/2) Kappit	Monocional A	intibody - ima	aes





Western blot analysis of Phospho-Vimentin (Ser72) in HeLa cell lysates treated with Calyculin A.