

#### **Anti-GFP Rabbit Monoclonal Antibody**

**Catalog # ABO13220** 

# **Specification**

#### **Anti-GFP Rabbit Monoclonal Antibody - Product Information**

Application WB, IHC, IF, ICC

Primary Accession
Host
Rabbit
Isotype
Rabbit IgG

Reactivity Rat, Human, Mouse

Clonality Monoclonal Format Liquid

**Description** 

Anti-GFP Rabbit Monoclonal Antibody . Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.

## **Anti-GFP Rabbit Monoclonal Antibody - Additional Information**

**Other Names** 

Green fluorescent protein, GFP

Calculated MW 25993 MW KDa

**Application Details** 

WB 1:5000-1:10000<br>IHC 1:100-1:200<br>ICC/IF 1:100-1:1000

**Contents** 

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

**Immunogen** 

A synthesized peptide derived from green fluorescent protein

**Purification** 

Affinity-chromatography

Storage Store at -20°C for one year. For short term

storage and frequent use, store at 4°C for

up to one month. Avoid repeated

freeze-thaw cycles.

### **Anti-GFP Rabbit Monoclonal Antibody - Protein Information**

Name GFP

**Function** 

Energy-transfer acceptor. Its role is to transduce the blue chemiluminescence of the protein



aequorin into green fluorescent light by energy transfer. Fluoresces in vivo upon receiving energy from the Ca(2+)-activated photoprotein aequorin.


**Tissue Location** Photocytes.

## **Anti-GFP Rabbit Monoclonal Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **Anti-GFP Rabbit Monoclonal Antibody - Images**




Western blot analysis of GFP expression in 293 cell lysate transfected with GFP.



Immunohistochemical analysis of paraffin-embedded GFP transgenic mouse liver, using GFP Antibody.





Immunofluorescent analysis of 293 cells, using GFP Antibody.