

**Anti-BCLG Rabbit Monoclonal Antibody**  
**Catalog # ABO16061****Specification****Anti-BCLG Rabbit Monoclonal Antibody - Product Information**

|                   |                          |
|-------------------|--------------------------|
| Application       | WB, IHC, IF, ICC, IP, FC |
| Primary Accession | <a href="#">Q9BZR8</a>   |
| Host              | Rabbit                   |
| Isotype           | IgG                      |
| Reactivity        | Rat, Human, Mouse        |
| Clonality         | Monoclonal               |
| Format            | Liquid                   |

**Description**

Anti-BCLG Rabbit Monoclonal Antibody . Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.

**Anti-BCLG Rabbit Monoclonal Antibody - Additional Information**

**Gene ID** 79370

**Other Names**

Apoptosis facilitator Bcl-2-like protein 14, Bcl2-L-14, Apoptosis regulator Bcl-G, BCL2L14, BCLG

**Calculated MW**

40 kDa KDa

**Application Details**

WB 1:500-1:2000<br>IHC 1:50-1:200<br>ICC/IF 1:50-1:200<br>IP 1:50<br>FC 1:50

**Contents**

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

**Immunogen**

A synthesized peptide derived from BCLG

**Purification**

Affinity-chromatography

**Storage**

**Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.**

**Anti-BCLG Rabbit Monoclonal Antibody - Protein Information**

**Name** BCL2L14

**Synonyms** BCLG**Function**

Plays a role in apoptosis.

**Cellular Location**

Cytoplasm. [Isoform 2]: Endomembrane system. Note=Predominantly localized to cytosolic organelles


**Tissue Location**

Isoform 1 is widely expressed. Isoform 2 is testis- specific.

**Anti-BCLG Rabbit Monoclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-BCLG Rabbit Monoclonal Antibody - Images**

Western blot analysis of BCLG expression in (1) HeLa cell lysate; (2) NIH/3T3 cell lysate; (3) PC12 cell lysate.