

Anti-DLX3 Rabbit Monoclonal Antibody
Catalog # ABO16424**Specification**

Anti-DLX3 Rabbit Monoclonal Antibody - Product Information

Application	WB
Primary Accession	O60479
Host	Rabbit
Isotype	IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid

Description

Anti-DLX3 Rabbit Monoclonal Antibody . Tested in WB application. This antibody reacts with Human.

Anti-DLX3 Rabbit Monoclonal Antibody - Additional Information

Gene ID 1747

Other Names

Homeobox protein DLX-3, DLX3

Calculated MW

40 kDa KDa

Application Details

WB 1:500-1:2000

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human DLX3

Purification

Affinity-chromatography

Storage

Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Anti-DLX3 Rabbit Monoclonal Antibody - Protein Information

Name DLX3

Function

Transcriptional activator (By similarity). Activates transcription of GNRHR, via binding to the downstream activin regulatory element (DARE) in the gene promoter (By similarity).


Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108}. Cytoplasm {ECO:0000250|UniProtKB:Q64205}


Anti-DLX3 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-DLX3 Rabbit Monoclonal Antibody - Images

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot analysis of DLX3 expression in JAR cell lysate.