

Anti-TMEM192 Rabbit Monoclonal Antibody
Catalog # ABO16468**Specification**

Anti-TMEM192 Rabbit Monoclonal Antibody - Product Information

Application	WB, IF, ICC, FC
Primary Accession	Q8IY95
Host	Rabbit
Isotype	IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid

Description

Anti-TMEM192 Rabbit Monoclonal Antibody . Tested in WB, ICC/IF, Flow Cytometry applications.
This antibody reacts with Human, Mouse, Rat.

Anti-TMEM192 Rabbit Monoclonal Antibody - Additional Information

Gene ID 201931

Other Names

Transmembrane protein 192, TMEM192

Calculated MW

29 kDa KDa

Application Details

WB 1:500-1:2000
ICC/IF 1:50-1:200
FC 1:50

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human TMEM192

Purification

Affinity-chromatography

Storage

Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Anti-TMEM192 Rabbit Monoclonal Antibody - Protein Information

Name TMEM192

Cellular Location

Lysosome membrane; Multi-pass membrane protein. Late endosome


Tissue Location

Strongly expressed in kidney, liver, lung and pancreas.


Anti-TMEM192 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-TMEM192 Rabbit Monoclonal Antibody - Images

Western blot analysis of TMEM192 expression in U87-MG cell lysate.



All lanes use the Antibody at 1:4K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:4K dilution for 1 hour at room temperature.