

Anti-DNAJA4 Rabbit Monoclonal Antibody
Catalog # ABO16499**Specification**

Anti-DNAJA4 Rabbit Monoclonal Antibody - Product Information

Application	WB, IP
Primary Accession	Q8WW22
Host	Rabbit
Isotype	IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid

Description

Anti-DNAJA4 Rabbit Monoclonal Antibody . Tested in WB, IP applications. This antibody reacts with Human, Mouse, Rat.

Anti-DNAJA4 Rabbit Monoclonal Antibody - Additional Information

Gene ID 55466

Other Names

Dnaj homolog subfamily A member 4, DNAJA4

Calculated MW

45 kDa KDa

Application Details

WB 1:500-1:2000
IP 1:50

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human DNAJA4

Purification

Affinity-chromatography

Storage

Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Anti-DNAJA4 Rabbit Monoclonal Antibody - Protein Information

Name DNAJA4


Cellular Location

Membrane; Lipid-anchor


Anti-DNAJA4 Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-DNAJA4 Rabbit Monoclonal Antibody - Images


Western blot analysis of DNAJA4 expression in Hela cell lysate.



All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.



Immunoprecipitate (IP) analysis using the Antibody at 1:50 dilution. (wb at 1:500 dilution)