

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody

Catalog # ABO16739

Specification

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody - Product Information

Application WR **Primary Accession** 016555 **Rabbit** Host Isotype Rabbit IgG

Reactivity Rat, Human, Mouse

Clonality Monoclonal **Format** Liquid

Description

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody . Tested in WB applications. This antibody reacts with Human, Mouse, Rat.

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody - Additional Information

Gene ID 1808

Other Names

Dihydropyrimidinase-related protein 2, DRP-2, Collapsin response mediator protein 2, CRMP-2, N2A3, Unc-33-like phosphoprotein 2, ULIP-2, DPYSL2, CRMP2, ULIP2

Application Details

WB 1:500-1:2000

Contents

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

Immunogen

A synthesized peptide derived from human Phospho-CRMP2 (T514)

Purification

Affinity-chromatography

Store at -20°C for one year. For short term Storage

storage and frequent use, store at 4°C for

up to one month. Avoid repeated

freeze-thaw cycles.

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody - Protein Information

Name DPYSL2

Synonyms CRMP2, ULIP2



Function

Plays a role in neuronal development and polarity, as well as in axon growth and guidance, neuronal growth cone collapse and cell migration. Necessary for signaling by class 3 semaphorins and subsequent remodeling of the cytoskeleton. May play a role in endocytosis.

Cellular Location

Cytoplasm, cytosol. Cytoplasm, cytoskeleton. Membrane. Note=Tightly but non-covalently associated with membranes


Tissue Location Ubiquitous.

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Phospho-CRMP2 (T514) Rabbit Monoclonal Antibody - Images




All lanes use the Antibody at 1:6K dilution for 1 hour at room temperature.





All lanes use the Antibody at 1:6K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:6K dilution for 1 hour at room temperature.