

DNase I Antibody
Rabbit Polyclonal Antibody
Catalog # ABV10171**Specification**

DNase I Antibody - Product Information

Application	WB
Reactivity	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG

DNase I Antibody - Additional Information

Application & Usage	Western blot analysis (0.5-4 µg/ml). The immunoaffinity purified antibody detects an approximately 33 kDa bovine pancreatic DNase I in Western blot analysis
---------------------	---

Other Names
DNASE1, DRNI, DNL1 , FLJ38093

Target/Specificity
DNase I

Antibody Form
Liquid

Appearance
Colorless liquid

Formulation
100 µg (0.2 mg/ml) affinity purified rabbit anti-DNase I polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA, 0.01% thimerosal.

Handling
The antibody solution should be gently mixed before use.

Reconstitution & Storage
-20 °C

Background Descriptions

Precautions
DNase I Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

DNase I Antibody - Protein Information

DNase I Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DNase I Antibody - Images

DNase I Antibody - Background

Deoxyribonuclease I (DNase I) is a Ca^{2+} and Mg^{2+} dependent endonuclease. DNase I is synthesized in the pancreas and stored in zymogen granules. It has been used to reduce the viscosity of cystic fibrosis sputum. A DNase I-like enzyme appears to catalyze the degradation of chromatin to oligo- and mononucleosomes during apoptosis. A recent study has demonstrated an endonuclease with activity and antigenicity indistinguishable from DNase I in thymocytes, cells susceptible to apoptosis.