

CETP Antibody

Rabbit Polyclonal Antibody Catalog # ABV10301

Specification

CETP Antibody - Product Information

Application Primary Accession Reactivity Host Clonality

Calculated MW

Isotype

WB

P11597

Human, Mouse, Rat, Rabbit

Rabbit Polyclonal Rabbit IgG 54756

CETP Antibody - Additional Information

Gene ID 1071

Application & Usage

Western blotting (0.5-4 μ g/ml). However, the optimal concentrations should be determined individually. Jurkat cell lysate can be used as positive controls. The antibody recognizes 70 kDa CETP of human & rat origins.

Other Names

Cholesteryl ester transfer, HDLCQ10

Target/Specificity

CETP

Antibody Form

Liquid

Appearance

Colorless liquid

Formulation

 $100 \mu g$ (0.5 mg/ml) peptide affinity purified rabbit polyclonal antibody in phosphate-buffered saline (PBS) containing 30% glycerol, 0.5% BSA, and 0.01% thimerosal.

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage

-20 °C

Background Descriptions

Precautions



CETP Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

CETP Antibody - Protein Information

Name CETP (HGNC:1869)

Function

Involved in the transfer of neutral lipids, including cholesteryl ester and triglyceride, among lipoprotein particles. Allows the net movement of cholesteryl ester from high density lipoproteins/HDL to triglyceride-rich very low density lipoproteins/VLDL, and the equimolar transport of triglyceride from VLDL to HDL (PubMed:24293641, PubMed:3281933, PubMed:3600759). Regulates the reverse cholesterol transport, by which excess cholesterol is removed from peripheral tissues and returned to the liver for elimination (PubMed:17237796).

Cellular Location

Secreted. Note=Secreted in plasma

Tissue Location

Expressed by the liver and secreted in plasma.

CETP Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CETP Antibody - Images

CETP Antibody - Background

It has been proposed that high density lipoproteins (HDLs) function jointly with lecithin:cholesterol acyltransferase and CETP to facilitate cholesterol transport from tissues to the liver. CETP is responsible for neutral lipid transfer activity in plasma in numerous species. Since CETP is able to accelerate specifically the exchange of lipid components between pro- and anti-atherogenic lipoprotein fractions, it may be a key determinant of the global atherogenicity of the plasma lipoprotein profile and arises as a possible target in atherosclerosis prevention. CETP has an important role in reverse cholesterol transport and shaping and affecting the composition of plasma lipoproteins. In general elevated levels of CETP have been associated with increased risk of coronary heart disease.