

EGF Antibody

Rabbit Polyclonal Antibody Catalog # ABV10783

Specification

EGF Antibody - Product Information

Application
Primary Accession
Other Accession
Reactivity
Host
Clonality
Isotype
Calculated MW

WB
P01132
Oselected:
Mouse
Rabbit
Polyclonal
Rabbit IgG
133072

EGF Antibody - Additional Information

Gene ID 13645

Application & Usage

Western blot analysis (0.5-4 μ g/ml). Recombinant human EGF can be used as a positive control. Per customer's feedback, it can also be used in Neutralization and Elisa. However, the optimal conditions should be determined individually.

Other Names Epidermal Growth Factor

Target/Specificity EGF

Antibody Form Liquid

AppearanceColorless liquid

Formulation

 $100~\mu g$ (0.5 mg/ml) affinity purified rabbit anti-mouse EGF polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA and 0.01% thimerosal.

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage -20 °C

Background Descriptions



Precautions

EGF Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

EGF Antibody - Protein Information

Name Egf

Function

EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of EGFR and activation of the magnesium channel TRPM6 (By similarity).

Cellular Location

Membrane; Single-pass type I membrane protein.

EGF Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

EGF Antibody - Images

EGF Antibody - Background

EGF (Epidermal Growth Factor) is polypeptide growth factor that stimulates the proliferation of a wide range of epidermal and epithelial cells. Human EGF is a 6.2 kDa protein containing 53 amino acid residues.