

BD-2 Antibody
Goat Polyclonal Antibody
Catalog # ABV10942**Specification**

BD-2 Antibody - Product Information

Application	WB, E
Primary Accession	O15263.1
Other Accession	NP_004933
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Isotype	Goat IgG

BD-2 Antibody - Additional Information

Application & Usage	Western blot analysis (0.5-1 µg/ml). However, the optimal conditions should be determined individually.
---------------------	--

Other Names

BD 2, BD2, BD-2, Beta-defensin 2, Beta-defensin, Defensin, beta 2, Skin-antimicrobial peptide 1, SAP1

Target/Specificity

BD-2

Antibody Form

Liquid

Appearance

Colorless liquid

Formulation

100 µg (0.5 mg/ml) affinity purified goat anti-human BD-2 polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA, 0.02% sodium azide.

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage

-20 °C

Background Descriptions**Precautions**

BD-2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

BD-2 Antibody - Protein Information

BD-2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BD-2 Antibody - Images

BD-2 Antibody - Background

Produced from sera of goats pre-immunized with highly pure (>98%) recombinant human BD-2. The antibody was purified by affinity chromatography employing immobilized human BD-2 matrix.