

Chorionic Gonadotropin (CG) Antibody
Rabbit Polyclonal Antibody
Catalog # ABV11066**Specification**

Chorionic Gonadotropin (CG) Antibody - Product Information

Application	WB
Primary Accession	P01233
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG

Chorionic Gonadotropin (CG) Antibody - Additional Information

Application & Usage	Western blotting (0.5-4 µg/ml). Both alpha and beta subunits can be detected. Purified human CG tissue lysate can be used as positive controls
---------------------	---

Other Names

CG, CGB, human chorionic gonadotrophin, glycoprotein hormones alpha, GPHA 1, GPHA1, TSH alpha, TSHA

Target/Specificity

Chorionic Gonadotropin

Antibody Form

Liquid

Appearance

Colorless liquid

Formulation

0.5 mg/ml affinity purified rabbit anti-adiponectin polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA, 0.01% thimerosal.

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage

-20 °C

Background Descriptions**Precautions**

Chorionic Gonadotropin (CG) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Chorionic Gonadotropin (CG) Antibody - Protein Information

Chorionic Gonadotropin (CG) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Chorionic Gonadotropin (CG) Antibody - Images

Chorionic Gonadotropin (CG) Antibody - Background

Human Chorionic Gonadotropin (hCG) consists of 237 amino acids, with chain-92 amino acids (α -subunit) and chain-145 amino acids (β -subunit).