

ApoD Antibody (NT)

Rabbit Polyclonal Antibody Catalog # ABV11269

Specification

ApoD Antibody (NT) - Product Information

Application WB
Primary Accession P05090

Reactivity Human, Mouse

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 21276

ApoD Antibody (NT) - Additional Information

Gene ID 347

Positive Control Western blot: 293 cell line lysate and

Application & Usage Western blot: ~1:1000.
Other Names

APOD; Apolipoprotein D

Target/Specificity

ApoD

Antibody Form

Liquid

Appearance Colorless liquid

Formulation

100 µl of antibody in PBS with 0.09% (W/V) sodium azide

Handling

The antibody solution should be gently mixed before use.

Reconstitution & Storage

-20 °C

Background Descriptions

Precautions

ApoD Antibody (NT) is for research use only and not for use in diagnostic or therapeutic procedures.



Tel: 858.875.1900 Fax: 858.875.1999

ApoD Antibody (NT) - Protein Information

Name APOD

Function

APOD occurs in the macromolecular complex with lecithin- cholesterol acyltransferase. It is probably involved in the transport and binding of bilin. Appears to be able to transport a variety of ligands in a number of different contexts.

Cellular Location

Secreted.

Tissue Location


Expressed in liver, intestine, pancreas, kidney, placenta, adrenal, spleen, fetal brain tissue and tears

ApoD Antibody (NT) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ApoD Antibody (NT) - Images




Western blot analysis in 293 cell line lysates (35 µg/lane). APOD (arrow) was detected using the purified pAb.





Western blot analysis in mouse brain tissue lysates (35 $\mu g/lane$). APOD (arrow) was detected using the purified pAb.



Western blot analysis with 293 cell lysates (2 μg /lane) either nontransfected (Lane 1) or transiently transfected with the APOD gene (Lane 2)

ApoD Antibody (NT) - Background

Apolipoproteins are plasma lipoproteins that function as transporters of lipids and cholesterol in the circulatory system. Apolipoprotein-D (Apo-D) is mainly associated with high density lipoproteins in human plasma. It is expressed in numerous tissues having high levels of expression in spleen, testes and brain. Apo-D is a multi-ligand, multi-functional transporter and transports a ligand from 1 cell to another within an organ, scavenge a ligand within an organ for transport to the blood or could transport a ligand from the circulation to specific cells within a tissue.