

Phospho-Bcl-2 (Ser70) Antibody
Purified Rabbit Polyclonal Antibody
Catalog # ABV11670

Specification

Phospho-Bcl-2 (Ser70) Antibody - Product Information

Application	WB
Primary Accession	P10415
Reactivity	Human, Monkey
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	26266

Phospho-Bcl-2 (Ser70) Antibody - Additional Information

Gene ID 596

Other Names

BCL2; Apoptosis regulator Bcl-2

Target/Specificity

Bcl2 (Ser70)

Formulation

100 ug (1mg/ml) of antibody in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

Handling

The antibody solution should be gently mixed before use

Background Descriptions

Precautions

Phospho-Bcl-2 (Ser70) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-Bcl-2 (Ser70) Antibody - Protein Information

Name BCL2

Function

Suppresses apoptosis in a variety of cell systems including factor-dependent lymphohematopoietic and neural cells (PubMed: [1508712](http://www.uniprot.org/citations/1508712), PubMed: [8183370](http://www.uniprot.org/citations/8183370) target="_blank">8183370). Regulates cell death by controlling the mitochondrial membrane permeability (PubMed: [11368354](http://www.uniprot.org/citations/11368354) target="_blank">11368354). Appears to function in a feedback loop system with caspases

(PubMed:11368354). Inhibits caspase activity either by preventing the release of cytochrome c from the mitochondria and/or by binding to the apoptosis-activating factor (APAF-1) (PubMed:11368354). Also acts as an inhibitor of autophagy: interacts with BECN1 and AMBRA1 during non-starvation conditions and inhibits their autophagy function (PubMed:18570871, PubMed:21358617, PubMed:20889974). May attenuate inflammation by impairing NLRP1-inflammasome activation, hence CASP1 activation and IL1B release (PubMed:17418785).

Cellular Location

Mitochondrion outer membrane; Single-pass membrane protein. Nucleus membrane; Single-pass membrane protein. Endoplasmic reticulum membrane; Single-pass membrane protein. Cytoplasm {ECO:0000250|UniProtKB:P10417}

Tissue Location


Expressed in a variety of tissues.

Phospho-Bcl-2 (Ser70) Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Phospho-Bcl-2 (Ser70) Antibody - Images



Western blot analysis in HeLa cell line lysates.



Western blot analysis in Vascula Endothelial cell line lysates. Bcl-2 was detected using the Phospho-Bcl-2(Ser70) Polyclonal purified antibody.

Phospho-Bcl-2 (Ser70) Antibody - Background

Bcl2 is an integral outer mitochondrial membrane protein that regulates the apoptotic cell death in variety of cells such as lymphocytes and neural cells. It regulates mitochondrial calcium homeostasis and proton flux. Several reports suggested that these phosphorylation sites may be targets of the ASK1/MKK7/JNK1 pathway and that phosphorylation of Bcl-2 may be a marker for mitotic events. Interleukin-3 and JNK-induced Bcl-2 phosphorylation at Ser70 regulates anti-apoptotic activity.