

Anti-ZKSCAN5 Antibody
Rabbit Polyclonal Antibody
Catalog # ABV11867**Specification**

Anti-ZKSCAN5 Antibody - Product Information

Application	IHC, IF, WB
Primary Accession	O9Y2L8
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	96903

Anti-ZKSCAN5 Antibody - Additional Information**Gene ID** 23660

Positive Control	WB: HeLa, RAW264.7, H9C2 cell lysate; IHC: human brain tissue; IFC; HeLa cells
Application & Usage	WB; 1:500 - 1:2000, IHC; 1:50 - 1:200, IF/IC; 1:50 - 1:100
Alias Symbol	ZKSCAN5

Other Names

KIAA1015; ZFP95; Zinc finger protein with KRAB and SCAN domains 5; Zinc finger protein 95 homolog; Zfp-95

Appearance

Colorless liquid

Formulation

In 0.42% Potassium phosphate; 0.87% Sodium chloride; pH 7.3; 30% glycerol and 0.01% sodium azide

Reconstitution & Storage

-20 °C

Background Descriptions**Precautions**

Anti-ZKSCAN5 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-ZKSCAN5 Antibody - Protein Information**Name** ZKSCAN5

Synonyms KIAA1015, ZFP95

Function

May be involved in transcriptional regulation.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.

Anti-ZKSCAN5 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-ZKSCAN5 Antibody - Images



Immunohistochemical analysis of ZKSCAN5 staining in H.brain formalin fixed paraffin embedded tissue section.



Immunofluorescent analysis of ZKSCAN5 staining in Hela cells.



Western blot analysis of ZKSCAN5 expression in Hela(A); RAW264.7(B); H9C2(C) whole cell lysates.

Anti-ZKSCAN5 Antibody - Background

This gene encodes a zinc finger protein of the Kruppel family. The protein contains a SCAN box and a KRAB A domain. Sequence analysis indicates that ZFP95 contains 12 highly conserved zinc finger motifs at the C-terminus and a SCAN box as well as a KRAB A domain at the N-terminus of the protein.