

Anti-TRAPPC5 Antibody
Rabbit Polyclonal antibody
Catalog # ABV11881**Specification**

Anti-TRAPPC5 Antibody - Product Information

Application	IHC, WB
Primary Accession	Q8IURO
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	20783

Anti-TRAPPC5 Antibody - Additional Information**Gene ID** 126003

Positive Control	WB: A549, NIH3T3, H9C2 lysates; IHC:
Application & Usage	human lung cancer tissue
Alias Symbol	WB; 1:500 - 1:2000, IHC; 1:50 - 1:200
Other Names	TRAPPC5
Trafficking protein particle complex subunit 5	

Formulation

In 0.42% Potassium phosphate; 0.87% Sodium chloride; pH 7.3; 30% glycerol and 0.01% sodium azide

Reconstitution & Storage

12 months under -20°C

Background Descriptions**Precautions**

Anti-TRAPPC5 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-TRAPPC5 Antibody - Protein Information**Name** TRAPPC5**Function**

May play a role in vesicular transport from endoplasmic reticulum to Golgi.

Cellular Location


Golgi apparatus, cis-Golgi network. Endoplasmic reticulum

Anti-TRAPPC5 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-TRAPPC5 Antibody - Images



Immunohistochemical analysis of TRAPPC5 staining in human lung cancer formalin fixed paraffin embedded tissue section.



Western blot analysis of TRAPPC5 expression in A549(A), NIH-3T3(B), H9C2(C) whole cell lysates.

Anti-TRAPPC5 Antibody - Background

Trafficking protein particle complex subunit 5 play a role in vesicular transport from endoplasmic reticulum to Golgi.