

CD146

Rabbit Monoclonal antibody(Mab) Catalog # AD80584

Specification

CD146 - Product info

Application Primary Accession Reactivity Host Clonality Calculated MW IHC-P P43121 Human Rabbit Monoclonal 71607

CD146 - Additional info

Gene ID 4162 Other Names Cell surface glycoprotein MUC18, Cell surface glycoprotein P1H12, Melanoma cell adhesion molecule, Melanoma-associated antigen A32, Melanoma-associated antigen MUC18, S-endo 1 endothelial-associated antigen, CD146, MCAM, MUC18

Dilution IHC-P~~N/A

Storage Maintain refrigerated at 2-8°C

CD146 - Protein Information

Name MCAM

Synonyms Function	MUC18 Plays a role in cell adhesion, and in cohesion of the endothelial monolayer at intercellular junctions in vascular tissue. Its expression may allow melanoma cells to interact with cellular elements of the vascular system, thereby enhancing hematogeneous tumor spread. Could be an adhesion molecule active in neural crest cells during embryonic development. Acts as a surface receptor that triggers tyrosine phosphorylation of FYN and PTK2/FAK1, and a transient increase in the intracellular calcium concentration.
Cellular Location	Membrane; Single-pass type I membrane protein.
Tissue Location	Detected in endothelial cells in vascular



tissue throughout the body. May appear at the surface of neural crest cells during their embryonic migration. Appears to be limited to vascular smooth muscle in normal adult tissues. Associated with tumor progression and the development of metastasis in human malignant melanoma. Expressed most strongly on metastatic lesions and advanced primary tumors and is only rarely detected in benign melanocytic nevi and thin primary melanomas with a low probability of metastasis

CD146 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>
- CD146 Images