

**Goat Anti-Latexin Antibody**  
Peptide-affinity purified goat antibody  
Catalog # AF1617a

**Specification**

---

**Goat Anti-Latexin Antibody - Product Information**

Application	WB, IHC, IF, E
Primary Accession	<a href="#">O9BS40</a>
Other Accession	<a href="#">NP_064554</a> , <a href="#">56925</a> , <a href="#">17035 (mouse)</a> , <a href="#">59073 (rat)</a>
Reactivity	Human, Mouse, Rat
Predicted	Dog
Host	Goat
Clonality	Polyclonal
Concentration	100ug/200ul
Isotype	IgG
Calculated MW	25750

**Goat Anti-Latexin Antibody - Additional Information**

**Gene ID** 56925

**Other Names**

Latexin, Endogenous carboxypeptidase inhibitor, ECI, Protein MUM, Tissue carboxypeptidase inhibitor, TCI, LXN

**Dilution**

WB~~1:1000  
IHC~~1:100~500  
IF~~1:50~200  
E~~N/A

**Format**

0.5 mg IgG/ml in Tris saline (20mM Tris pH7.3, 150mM NaCl), 0.02% sodium azide, with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

Goat Anti-Latexin Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**Goat Anti-Latexin Antibody - Protein Information**

**Name** LXN

**Function**

Hardly reversible, non-competitive, and potent inhibitor of CPA1, CPA2 and CPA4. May play a role in inflammation.

**Cellular Location**

Cytoplasm.

**Tissue Location**

Highly expressed in heart, prostate, ovary, kidney, pancreas, and colon, moderate or low in other tissues including brain

**Goat Anti-Latexin Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Goat Anti-Latexin Antibody - Images**

AF1617a (0.1 µg/ml) staining of Rat Brain lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

**Goat Anti-Latexin Antibody - Background**

This gene encodes the only known protein inhibitor of zinc-dependent metalloproteinases.

**Goat Anti-Latexin Antibody - References**

Large-scale mapping of human protein-protein interactions by mass spectrometry. Ewing RM, et al. Mol Syst Biol, 2007. PMID 17353931.  
Structure of human carboxypeptidase A4 with its endogenous protein inhibitor, latexin. Pallarós I, et

al. Proc Natl Acad Sci U S A, 2005 Mar 15. PMID 15738388.

The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334.

Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.

Cloning, tissue expression pattern and genomic organization of latexin, a human homologue of rat carboxypeptidase A inhibitor. Liu Q, et al. Mol Biol Rep, 2000. PMID 11455960.