

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody
Peptide-affinity purified goat antibody
Catalog # AF1722a**Specification**

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - Product Information

Application	IHC
Other Accession	NP_998116
Reactivity	Zebrafish
Host	Goat
Clonality	Polyclonal
Concentration	100ug/200ul
Isotype	IgG

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - Additional Information**Other Names**

nf2 antibody, neurofibromin 2 (bilateral acoustic neuroma) antibody, MGC123124 antibody, NF2a antibody

Format

0.5 mg IgG/ml in Tris saline (20mM Tris pH7.3, 150mM NaCl), 0.02% sodium azide, with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


Goat Anti-Neurofibromin 2 (Zebrafish) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - Protein Information**Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - Images



EB07955 (5µg/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

Goat Anti-Neurofibromin 2 (Zebrafish) Antibody - References

A genetic screen in zebrafish identifies the mutants vps18, nf2 and foie gras as models of liver disease. Sadler KC, et al. Development, 2005 Aug. PMID 16000385.
Identification of 315 genes essential for early zebrafish development. Amsterdam A, et al. Proc Natl Acad Sci U S A, 2004 Aug 31. PMID 15256591.
Many ribosomal protein genes are cancer genes in zebrafish. Amsterdam A, et al. PLoS Biol, 2004 May. PMID 15138505.
Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.