

FOXD2 Antibody (C-Term)
Peptide-affinity purified goat antibody
Catalog # AF2347a**Specification**

FOXD2 Antibody (C-Term) - Product Information

Application	E
Primary Accession	O60548
Other Accession	NP_004465.3 , 2306 , 17301 (mouse)
Predicted	Human, Mouse, Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	48748

FOXD2 Antibody (C-Term) - Additional Information**Gene ID** 2306**Other Names**

Forkhead box protein D2, Forkhead-related protein FKHL17, Forkhead-related transcription factor 9, FREAC-9, FOXD2, FKHL17, FREAC9

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FOXD2 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

FOXD2 Antibody (C-Term) - Protein Information**Name** FOXD2**Synonyms** FKHL17, FREAC9**Function**

Probable transcription factor involved in embryogenesis and somatogenesis.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089}.

Tissue Location

Kidney specific..

FOXD2 Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FOXD2 Antibody (C-Term) - Images**FOXD2 Antibody (C-Term) - References**

A winged helix forkhead (FOXD2) tunes sensitivity to cAMP in T lymphocytes through regulation of cAMP-dependent protein kinase RIalpha. Johansson CC, Dahle MK, Blomqvist SR, Gronning LM, Aandahl EM, Enerback S, Tasken K. J Biol Chem. 2003 May 9;278(19):17573-9. Epub 2003 Mar 05. PMID: 12621056