

**BOULE / BOLL Antibody (C-Term)**  
**Peptide-affinity purified goat antibody**  
**Catalog # AF2358a****Specification**

---

**BOULE / BOLL Antibody (C-Term) - Product Information**

|                   |                                                                                   |
|-------------------|-----------------------------------------------------------------------------------|
| Application       | IHC, E                                                                            |
| Primary Accession | <a href="#">Q8N9W6</a>                                                            |
| Other Accession   | <a href="#">NP_932074.1</a> , <a href="#">NP_149019.1</a> , <a href="#">66037</a> |
| Reactivity        | Human                                                                             |
| Predicted         | Dog                                                                               |
| Host              | Goat                                                                              |
| Clonality         | Polyclonal                                                                        |
| Concentration     | 0.5 mg/ml                                                                         |
| Isotype           | IgG                                                                               |
| Calculated MW     | 31301                                                                             |

**BOULE / BOLL Antibody (C-Term) - Additional Information****Gene ID** 66037**Other Names**

Protein boule-like, BOLL, BOULE

**Dilution**

IHC~~1:100~500

E~~N/A

**Format**

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

BOULE / BOLL Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

**BOULE / BOLL Antibody (C-Term) - Protein Information****Name** BOLL**Synonyms** BOULE**Function**

Probable RNA-binding protein, which may be required during spermatogenesis. May act by binding

to the 3'-UTR of mRNAs and regulating their translation (By similarity).

**Cellular Location**

Cytoplasm


**Tissue Location**

Testis specific. Not expressed in early embryos, primordial germ cells and spermatogonial cells. First expressed in the cytoplasm of spermatocytes and then persists through meiosis

**BOULE / BOLL Antibody (C-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**BOULE / BOLL Antibody (C-Term) - Images**

AF2358a (4 µg/ml) staining of paraffin embedded Human Testis. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.

**BOULE / BOLL Antibody (C-Term) - Background**

This antibody is expected to recognize both reported isoforms (NP\_932074.1; NP\_149019.1).

**BOULE / BOLL Antibody (C-Term) - References**

A gene family required for human germ cell development evolved from an ancient meiotic gene conserved in metazoans. Xu EY, Moore FL, Pera RA. Proc Natl Acad Sci U S A. 2001 Jun 19;98(13):7414-9. PMID: 11390979