

**FOXP3 / Scurfin (Mouse) Antibody (C-Term)**  
**Peptide-affinity purified goat antibody**  
**Catalog # AF2411a****Specification**

---

**FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Product Information**

|                   |                                                                                            |
|-------------------|--------------------------------------------------------------------------------------------|
| Application       | IHC, FC                                                                                    |
| Primary Accession | <a href="#">O99JB6.1</a>                                                                   |
| Other Accession   | <a href="#">NP_473380.1</a> , <a href="#">20371 (mouse)</a> , <a href="#">317382 (rat)</a> |
| Reactivity        | Mouse                                                                                      |
| Predicted         | Rat                                                                                        |
| Host              | Goat                                                                                       |
| Clonality         | Polyclonal                                                                                 |
| Concentration     | 0.5 mg/ml                                                                                  |
| Isotype           | IgG                                                                                        |

**FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Additional Information****Other Names**

Foxp3; forkhead box P3; sf; JM2; scurfin; scurfy; RP23-54C14.1; OTTMUSP00000017952; OTTMUSP00000017961; OTTMUSP00000017962

**Format**

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FOXP3 / Scurfin (Mouse) Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.


**FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Protein Information****FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

## FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Images



In paraffin embedded Mouse Spleen shows patches of stained cells in the Germinal Centre. Recommended concentration, 2-4 µg/ml.



AF2411a Flow cytometric analysis of paraformaldehyde fixed NIH3T3 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml). IgG control: Unimmunized goat IgG (black line) f

## FOXP3 / Scurfin (Mouse) Antibody (C-Term) - Background

Note - anti-mouse companion product of EB05294

## FOXP3 / Scurfin (Mouse) Antibody (C-Term) - References

Disruption of a new forkhead/winged-helix protein, scurfin, results in the fatal lymphoproliferative disorder of the scurfy mouse. Brunkow,M.E., Jeffery,E.W., Hjerrild,K.A., Paepers,B., Clark,L.B., Yasayko,S.A., Wilkinson,J.E., Galas,D., Ziegler,S.F. and Ramsdell,F Nat. Genet. 27 (1), 68-73 (2001). PMID: 11138001