

Robo3 (mouse) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF2575a**Specification**

Robo3 (mouse) Antibody (internal region) - Product Information

Application	E
Primary Accession	O9Z2I4.2
Other Accession	NP_035378.1 , AAD11628.1 , 19649 (mouse) , 315564 (rat)
Predicted	Mouse, Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

Robo3 (mouse) Antibody (internal region) - Additional Information**Other Names**

Robo3; roundabout homolog 3 (Drosophila); Rbig1; RIG1; Rig-1; Robo3a; Robo3b; retinoblastoma inhibiting gene 1

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Robo3 (mouse) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Robo3 (mouse) Antibody (internal region) - Protein Information**Robo3 (mouse) Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

Robo3 (mouse) Antibody (internal region) - Images**Robo3 (mouse) Antibody (internal region) - Background**

Both variants represent identical protein

Robo3 (mouse) Antibody (internal region) - References

Differential roles of MDA5 and RIG-I helicases in the recognition of RNA viruses. Kato H, Takeuchi O, Sato S, Yoneyama M, Yamamoto M, Matsui K, Uematsu S, Jung A, Kawai T, Ishii KJ, Yamaguchi O, Otsu K, Tsujimura T, Koh CS, Reis e Sousa C, Matsuura Y, Fujita T, Akira S. Nature. 2006 May 4;441(7089):101-5. Epub 2006 Apr 9. PMID: 16625202