

Tcfec (mouse) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF2597a**Specification**

Tcfec (mouse) Antibody (internal region) - Product Information

Application	E
Primary Accession	O9WTW4.1
Other Accession	NP_112475.1 , 21426 (mouse) , 26296 (rat)
Predicted	Mouse, Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

Tcfec (mouse) Antibody (internal region) - Additional Information**Other Names**

Tcfec; transcription factor EC ; BB107417; MGC107474; TFEC

Dilution

E~~N/A

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Tcfec (mouse) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Tcfec (mouse) Antibody (internal region) - Protein Information**Tcfec (mouse) Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

Tcfec (mouse) Antibody (internal region) - Images**Tcfec (mouse) Antibody (internal region) - References**

Oncogenic MITF dysregulation in clear cell sarcoma: defining the MiT family of human cancers.
Davis IJ, Kim JJ, Ozsolak F, Widlund HR, Rozenblatt-Rosen O, Granter SR, Du J, Fletcher JA, Denny CT, Lessnick SL, Linehan WM, Kung AL, Fisher DE. Cancer Cell. 2006 Jun;9(6):473-84. PMID: 16766266
[PubMed - indexed for MEDLINE]