

Thrb (zebrafish) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF2608a**Specification**

Thrb (zebrafish) Antibody (internal region) - Product Information

Application	WB
Primary Accession	O9PVE4.2
Other Accession	NP_571415.1
Reactivity	Zebrafish
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

Thrb (zebrafish) Antibody (internal region) - Additional Information**Other Names**

thrb; thyroid hormone receptor beta; NR1A2; TR-beta; TR[b]1; fj24f03; trb; wu:fj24f03

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Thrb (zebrafish) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Thrb (zebrafish) Antibody (internal region) - Protein Information**Thrb (zebrafish) Antibody (internal region) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Thrb (zebrafish) Antibody (internal region) - Images



AF2608a (2.5 µg/ml) staining of Zebrafish adult Heart lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Thrb (zebrafish) Antibody (internal region) - Background

This antibody is not expected to cross-react to Thra.

Thrb (zebrafish) Antibody (internal region) - References

Thyroid hormones are important for embryonic to larval transitory phase in zebrafish. Liu YW, Chan WK. Differentiation. 2002 Mar;70(1):36-45. PMID: 11963654