

PBR (mouse) Antibody (C-Term)
Peptide-affinity purified goat antibody
Catalog # AF2923a

Specification

PBR (mouse) Antibody (C-Term) - Product Information

Application	WB
Primary Accession	P50637.1
Other Accession	NP_033905.3 , 12257 (mouse) , 24230 (rat)
Reactivity	Mouse
Predicted	Rat
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

PBR (mouse) Antibody (C-Term) - Additional Information

Other Names

PBR; Tspp; translocator protein; Bzrp; IBP; benzodiazepine receptor, peripheral;
isoquinoline-binding protein; peripheral benzodiazepine receptor

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PBR (mouse) Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

PBR (mouse) Antibody (C-Term) - Protein Information


PBR (mouse) Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

PBR (mouse) Antibody (C-Term) - Images



AF2923a (1 μ g/ml) staining of Mouse Kidney lysate (A) and of Mouse Spleen lysate (B) (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

PBR (mouse) Antibody (C-Term) - References

Peripheral benzodiazepine receptor antisense knockout increases tumorigenicity of MA-10 Leydig cells in vivo and in vitro. Weisinger G, Kelly-HersHKovitz E, Veenman L, Spanier I, Leschiner S, Gavish M. Biochemistry 2004 Sep 43 (38): 12315-21. PMID: 15379570