

FBXO40 Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3009a**Specification**

FBXO40 Antibody (internal region) - Product Information

Application	E
Primary Accession	O9UH90
Other Accession	NP_057382.2 , 51725
Predicted	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	79782

FBXO40 Antibody (internal region) - Additional Information**Gene ID** 51725**Other Names**

F-box only protein 40, Muscle disease-related protein, FBXO40, FBX40, KIAA1195

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FBXO40 Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

FBXO40 Antibody (internal region) - Protein Information**Name** FBXO40**Synonyms** FBX40, KIAA1195**Function**

Probable substrate-recognition component of the SCF (SKP1- CUL1-F-box protein)-type E3 ubiquitin ligase complex that may function in myogenesis.

Cellular Location

Cytoplasm.

Tissue Location

Expressed only in heart and skeletal muscle.

FBXO40 Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FBXO40 Antibody (internal region) - Images**FBXO40 Antibody (internal region) - References**

FBXO40, a gene encoding a novel muscle-specific F-box protein, is upregulated in denervation-related muscle atrophy. Ye J, Zhang Y, Xu J, Zhang Q, Zhu D. Gene. 2007 Dec 1;404(1-2):53-60. PMID: 17928169