

DUOX1 (aa972-985) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3616a**Specification**

DUOX1 (aa972-985) Antibody (internal region) - Product Information

Application	WB
Primary Accession	O9NRD9
Other Accession	NP_059130.2 , 53905
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	177235

DUOX1 (aa972-985) Antibody (internal region) - Additional Information**Gene ID** 53905**Other Names**

Dual oxidase 1, 1.11.1.-, 1.6.3.1, Large NOX 1, Long NOX 1, NADPH thyroid oxidase 1, Thyroid oxidase 1, DUOX1, DUOX, LNOX1, THOX1

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

DUOX1 (aa972-985) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

DUOX1 (aa972-985) Antibody (internal region) - Protein Information**Name** DUOX1**Synonyms** DUOX, LNOX1, THOX1**Function**

Generates hydrogen peroxide which is required for the activity of thyroid peroxidase/TPO and lactoperoxidase/LPO. Plays a role in thyroid hormones synthesis and lactoperoxidase-mediated antimicrobial defense at the surface of mucosa. May have its own peroxidase activity through its N-terminal peroxidase-like domain.

Cellular Location

Apical cell membrane; Multi-pass membrane protein. Note=Localizes to the apical membrane of epithelial cells


Tissue Location

Expressed in thyrocytes and tracheal surface epithelial cells (at protein level). Expressed in thyroid, trachea, bronchium, and to a lower extent, in placenta, testis, prostate, pancreas and heart.

DUOX1 (aa972-985) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DUOX1 (aa972-985) Antibody (internal region) - Images

AF3616a (0.1 µg/ml) staining of Human Testis lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

DUOX1 (aa972-985) Antibody (internal region) - Background

Reported variants represent identical protein: NP_787954.1, NP_059130.2. This antibody is not expected to cross-react with DUOX2.

DUOX1 (aa972-985) Antibody (internal region) - References

Differential regulation of dual NADPH oxidases/peroxidases, Duox1 and Duox2, by Th1 and Th2 cytokines in respiratory tract epithelium. Harper RW, Xu C, Eiserich JP, Chen Y, Kao CY, Thai P, Setiadi H, Wu R. FEBS Lett. 2005 Aug 29;579(21):4911-7. PMID: 16111680