

APEG1 / SPEG Antibody (internal region)

Peptide-affinity purified goat antibody Catalog # AF3770a

Specification

APEG1 / SPEG Antibody (internal region) - Product Information

Application E

Primary Accession <u>Q15772</u>

Other Accession <u>NP_005867.3</u>, <u>10290</u>

Predicted Human
Host Goat
Clonality Polyclonal
Concentration 0.5 mg/ml

Isotype IgG Calculated MW 354289

APEG1 / SPEG Antibody (internal region) - Additional Information

Gene ID 10290

Other Names

Striated muscle preferentially expressed protein kinase, 2.7.11.1, Aortic preferentially expressed protein 1, APEG-1, SPEG, APEG1, KIAA1297

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

APEG1 / SPEG Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

APEG1 / SPEG Antibody (internal region) - Protein Information

Name SPEG

Synonyms APEG1, KIAA1297

Function

Isoform 3 may have a role in regulating the growth and differentiation of arterial smooth muscle cells.

Cellular Location

[Isoform 3]: Nucleus.



Tissue Location

Isoform 1 is preferentially expressed in striated muscle. Non-kinase form such as isoform 3 is predominantly expressed in the aorta. Isoform 3 appears to be expressed only in highly differentiated ASMC in normal vessel walls and down-regulated in dedifferentiated ASMC in vivo. In response to vascular injuries ASMC dedifferentiate and change from a quiescent and contractile phenotype to a proliferative and synthetic phenotype. This proliferation of vascular smooth muscle cells is one of the most prominent features of atherosclerosis.

APEG1 / SPEG Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

APEG1 / SPEG Antibody (internal region) - Images

APEG1 / SPEG Antibody (internal region) - Background

This antibody is expected to recognize isoform 1 only (NP 005867.3).

APEG1 / SPEG Antibody (internal region) - References

APEG-1, a novel gene preferentially expressed in aortic smooth muscle cells, is down-regulated by vascular injury. Hsieh CM, Yoshizumi M, Endege WO, Kho CJ, Jain MK, Kashiki S, de los Santos R, Lee WS, Perrella MA, Lee ME. J Biol Chem. 1996 Jul 19;271(29):17354-9. PMID: 8663449