

Synaptotagmin-10 (mouse) Antibody (N-Term)
Peptide-affinity purified goat antibody
Catalog # AF3801a**Specification**

Synaptotagmin-10 (mouse) Antibody (N-Term) - Product Information

Application	E
Primary Accession	O9R0N4.1
Other Accession	NP_061273.1 , 54526 (mouse) , 60567 (rat)
Predicted	Mouse, Rat, Pig, Dog, Cow
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

Synaptotagmin-10 (mouse) Antibody (N-Term) - Additional Information**Other Names**

Syt10; synaptotagmin X; synaptotagmin 10; synaptotagmin-10; sytX

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Synaptotagmin-10 (mouse) Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

Synaptotagmin-10 (mouse) Antibody (N-Term) - Protein Information**Synaptotagmin-10 (mouse) Antibody (N-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Synaptotagmin-10 (mouse) Antibody (N-Term) - Images

Synaptotagmin-10 (mouse) Antibody (N-Term) - References

Conserved N-terminal cysteine motif is essential for homo- and heterodimer formation of synaptotagmins III, V, VI, and X. Fukuda M, Kanno E, Mikoshiba K. J Biol Chem. 1999 Oct 29;274(44):31421-7. PMID: 10531343