

complement C3 (aa681-693) Antibody (internal region)

Peptide-affinity purified goat antibody Catalog # AF3842a

Specification

complement C3 (aa681-693) Antibody (internal region) - Product Information

Application

Primary Accession P01024

Other Accession NP 000055.2, 718

Predicted Human
Host Goat
Clonality Polyclonal
Concentration 0.5 mg/ml

Isotype IgG
Calculated MW 187148

complement C3 (aa681-693) Antibody (internal region) - Additional Information

Gene ID 718

Other Names

Complement C3, C3 and PZP-like alpha-2-macroglobulin domain-containing protein 1, Complement C3 beta chain, C3-beta-c, C3bc, Complement C3 alpha chain, C3a anaphylatoxin, Acylation stimulating protein, ASP, C3adesArg, Complement C3b alpha' chain, Complement C3c alpha' chain fragment 1, Complement C3dg fragment, Complement C3g fragment, Complement C3d fragment, Complement C3c alpha' chain fragment 2, C3, CPAMD1

Dilution

E~~N/A

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

complement C3 (aa681-693) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

complement C3 (aa681-693) Antibody (internal region) - Protein Information

Name C3 {ECO:0000303|PubMed:2579379, ECO:0000312|HGNC:HGNC:1318}

Function

Precursor of non-enzymatic components of the classical, alternative, lectin and GZMK complement



pathways, which consist in a cascade of proteins that leads to phagocytosis and breakdown of pathogens and signaling that strengthens the adaptive immune system.

Cellular LocationSecreted. [C3a anaphylatoxin]: Secreted

Tissue Location Plasma..

complement C3 (aa681-693) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

complement C3 (aa681-693) Antibody (internal region) - Images

complement C3 (aa681-693) Antibody (internal region) - Background

This antibody is expected to recognize the C3 alpha chain and C3a anaphylatoxin,

complement C3 (aa681-693) Antibody (internal region) - References

IgG autoantibodies against deposited C3 inhibit macrophage-mediated apoptotic cell engulfment in systemic autoimmunity. Kenyon KD, Cole C, Crawford F, Kappler JW, Thurman JM, Bratton DL, Boackle SA, Henson PM. J Immunol. 2011 Sep 1;187(5):2101-11. PMID: 21813769