

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3888a

Specification

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - Product Information

Application	WB, E
Primary Accession	P53569.2
Other Accession	NP_001019977.1 , 12607 (mouse) , 362686 (rat)
Reactivity	Rat
Predicted	Mouse, Pig, Dog
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - Additional Information

Other Names

Cebpz; CCAAT/enhancer binding protein zeta; AI848081; CBF2; Cbf; Cebpa-rs1; CCAAT-binding factor; CCAAT-box-binding transcription factor; CCAAT/enhancer binding protein alpha (C/EBP) related sequence 1; CCAAT/enhancer-binding protein zeta

Dilution

WB~~1:1000

E~~N/A

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - Protein Information

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - Images



AF3888a (1 µg/ml) staining Rat Testis lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

CCAAT/enhancer binding protein zeta (mouse, aa620-633) Antibody (internal region) - References

Upregulation of gene encoding adipogenic transcriptional factors C/EBPalpha and PPARgamma2 in denervated muscle Wagatsuma A. Exp Physiol. 2006 Jul;91(4):747-53 PMID: 16675498