

Goat Anti-Nrac Antibody (internal region)
Purified Goat Polyclonal Antibody
Catalog # AF4221a**Specification**

Goat Anti-Nrac Antibody (internal region) - Product Information

Application	E
Primary Accession	Q8BNX7
Other Accession	23029450(mouse) , NP_796013.1
Predicted	Mouse
Host	Goat
Clonality	Polyclonal
Concentration	0.5
Calculated MW	18347

Goat Anti-Nrac Antibody (internal region) - Additional Information**Gene ID** 319942**Other Names**

nutritionally-regulated adipose and cardiac-enriched protein; A530016L24Rik

Format

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Immunogen

Peptide with sequence CHPTRENEGTTGRSQ, from the internal region of the protein sequence according to NP_796013.1.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Goat Anti-Nrac Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

Goat Anti-Nrac Antibody (internal region) - Protein Information**Name** Nrac**Cellular Location**

Cell membrane; Single-pass membrane protein

Tissue Location

Predominantly expressed in white adipose tissue (at protein level) and brown adipose tissue. Also

detected in heart

Goat Anti-Nrac Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Goat Anti-Nrac Antibody (internal region) - Images

Goat Anti-Nrac Antibody (internal region) - References

Hypothalamic oxytocin mRNA expression and melancholic depression. Meynen G, Unmehopa UA, Hofman MA, Swaab DF, Hoogendijk WJ. Molecular psychiatry 2007 Feb 12 (2): 118-9.