

KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody

Rabbit monoclonal antibody Catalog # AGI1052

Specification

KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody - Product Information

Application WB, FC, ICC Primary Accession P35232

Reactivity Rat, Human, Mouse

Clonality Monoclonal Isotype Rabbit IgG

Calculated MW Predicted, 30 kDa, observed, 30 kDa KDa

Gene Name PHB:

Aliases Prohibitin 1; PHB; Prohibitin; Epididymis

Secretory Sperm Binding Protein Li 54e;

Epididymis Luminal Protein 215;

HEL-S-54e; HEL-215

Immunogen A synthesized peptide derived from human

Prohibitin

KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody - Additional Information

Gene ID **5245**

Other Names

Prohibitin 1, PHB1 {ECO:0000303|PubMed:28017329, ECO:0000312|HGNC:HGNC:8912}

KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody - Protein Information

Name PHB1 {ECO:0000303|PubMed:28017329, ECO:0000312|HGNC:HGNC:8912}

Function

Protein with pleiotropic attributes mediated in a cell- compartment- and tissue-specific manner, which include the plasma membrane-associated cell signaling functions, mitochondrial chaperone, and transcriptional co-regulator of transcription factors in the nucleus (PubMed:11302691, PubMed:20959514, PubMed:28017329, PubMed:31522117). Plays a role in adipose tissue and glucose homeostasis in a sex-specific manner (By similarity). Contributes to pulmonary vascular remodeling by accelerating proliferation of pulmonary arterial smooth muscle cells (By similarity).

Cellular Location

Mitochondrion inner membrane. Nucleus. Cytoplasm. Cell membrane

Tissue Location

Widely expressed in different tissues.




KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

KD-Validated Anti-Prohibitin Rabbit Monoclonal Antibody - Images




Western blotting analysis using anti-prohibitin antibody (Cat#AGI1052). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-prohibitin antibody (Cat#AGI1052, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.




Western blotting analysis using anti-prohibitin antibody (Cat#AGI1052). Prohibitin expression in wild type (WT) and prohibitin (PHB1) shRNA knockdown (KD) HeLa cells with 20 μ g of total cell lysates. β -Tubulin serves as a loading control. The blot was incubated with anti-prohibitin antibody (Cat#AGI1052, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.





Flow cytometric analysis of prohibitin expression in HT-1080 cells using prohibitin antibody (Cat#AGI1052, 1:2,000). Green, isotype control; red, prohibitin.



Immunocytochemical staining of HT-1080 cells with prohibitin antibody (Cat#AGI1052, 1:1,000). Nuclei were stained blue with DAPI; Prohibitin was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 μ m.