

## **KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody**

Rabbit monoclonal antibody Catalog # AGI1849

## **Specification**

## **KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody - Product Information**

Application WB
Primary Accession P04075

Reactivity Rat, Human, Mouse

Clonality Monoclonal Isotype Rabbit IgG

Calculated MW Predicted, 39 kDa, observed, 36 kDa KDa

Gene Name ALDOA

Aliases ALDOA; Aldolase, Fructose-Bisphosphate

A; Aldolase A, Fructose-Bisphosphate; Fructose-Bisphosphate Aldolase A; Lung Cancer Antigen NY-LU-1; Muscle-Type Aldolase; EC 4.1.2.13; ALDA; Epididymis Secretory Sperm Binding Protein Li 87p;

Fructose-1,6-Bisphosphate

Triosephosphate-Lyase; HEL-S-87p; GSD12

A synthesized peptide derived from human

**Aldolase** 

# KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody - Additional Information

Gene ID 226

**Other Names** 

**Immunogen** 

Fructose-bisphosphate aldolase A, 4.1.2.13, Lung cancer antigen NY-LU-1, Muscle-type aldolase, ALDOA (<a href="http://www.genenames.org/cgi-bin/gene\_symbol\_report?hgnc\_id=414" target=" blank">HGNC:414</a>), ALDA

#### KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody - Protein Information

Name ALDOA (HGNC:414)

Synonyms ALDA

#### **Function**

Catalyzes the reversible conversion of beta-D-fructose 1,6- bisphosphate (FBP) into two triose phosphate and plays a key role in glycolysis and gluconeogenesis (PubMed:<a href="http://www.uniprot.org/citations/14766013" target="\_blank">14766013</a>). In addition, may also function as scaffolding protein (By similarity).

## **Cellular Location**

Cytoplasm, myofibril, sarcomere, I band {ECO:0000250|UniProtKB:P00883}. Cytoplasm, myofibril, sarcomere, M line {ECO:0000250|UniProtKB:P00883}. Note=In skeletal muscle, accumulates around the M line and within the I band, colocalizing with FBP2 on both sides of the Z line in the




absence of Ca(2+) {ECO:0000250|UniProtKB:P00883}

## **KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


## KD-Validated Anti-ALDOA Rabbit Monoclonal Antibody - Images



Western blotting analysis using anti-ALDOA antibody (Cat#AGI1849). Total cell lysates (30  $\mu$ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-ALDOA antibody (Cat#AGI1849, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Western blotting analysis using anti-ALDOA antibody (Cat#AGI1849). ALDOA expression in wild-type (WT) and ALDOA shRNA knockdown (KD) HeLa cells with 20  $\mu$ g of total cell lysates. Hsp90  $\alpha$  serves as a loading control. The blot was incubated with anti-ALDOA antibody





(Cat#AGI1849, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.